

WM 8690C**SECTION 1. IDENTIFICATION**

Product Identifier	WM 8690C
Other Means of Identification	Corrosion Inhibitor
Recommended Use	Yellow Metal Treatment Corrosion Inhibitor.
Restrictions on Use	None known.
Manufacturer/Supplier Identifier	Hood Chemical, 295 Alliance Road, #14, Milton, ON, L9T 4W8, 1-800-567-9791
Emergency Phone No.	CANUTEC, 613-996-6666, 24 Hour Emergency Line
Date of Preparation	May 29, 2017

SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015).

Classification

Skin irritation - Category 2; Serious eye damage - Category 1; Aquatic hazard (Acute) - Category 3; Aquatic hazard (Chronic) - Category 4

Label Elements

Signal Word:

Danger

Hazard Statement(s):

H315 Causes skin irritation.

H318 Causes serious eye damage.

H402 Harmful to aquatic life.

H413 May cause long lasting harmful effects to aquatic life.

Precautionary Statement(s):

Prevention:

P264 Wash hands and skin thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTRE or doctor.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P402 + P404 Store in a dry place. Store in a closed container.

Disposal:
P501 Dispose of contents and container in accordance with local, regional, national and international regulations.

Other Hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Benzotriazole	95-14-7	1-5	NDA	
Sodium Tolyltriazole	64665-57-2	1-5	NDA	

Notes

*The exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Take precautions to ensure your own safety before attempting rescue (e.g. wear appropriate protective equipment). Remove source of exposure or move to fresh air. Keep at rest in a position comfortable for breathing. Get medical advice or attention if you feel unwell or are concerned.

Skin Contact

Avoid direct contact. Wear chemical protective clothing if necessary. Take off immediately contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Quickly and gently blot or brush away excess chemical. Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. Get medical advice or attention if you feel unwell or are concerned.

Eye Contact

Avoid direct contact. Wear chemical protective gloves if necessary. Quickly and gently blot or brush chemical off the face. Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for at least 30 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. Take care not to rinse contaminated water into the unaffected eye or onto the face. Immediately call a Poison Centre or doctor.

Ingestion

Rinse mouth with water. Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water again. Immediately call a Poison Centre or doctor.

First-aid Comments

Get medical advice or attention if you feel unwell or are concerned. Some of the first-aid procedures recommended here require advanced first-aid training.

Most Important Symptoms and Effects, Acute and Delayed

None known.

Immediate Medical Attention and Special Treatment

Special Instructions

If medical advice is needed, have product container at hand. Consideration should be given to the possibility that over-exposure to materials other than this product may have occurred.

Medical Conditions Aggravated by Exposure

None known.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Product Identifier: WM 8690C - Ver. 2

SDS No.: 01340186

Date of Preparation: May 29, 2017

Date of Last Revision: August 23, 2019

Page 02 of 07

Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire. Use water to keep non-leaking, fire-exposed containers cool.

Unsuitable Extinguishing Media

Do not use water jet.

Specific Hazards Arising from the Product

Does not burn. Heating increases the release of toxic vapour.

In a fire, the following hazardous materials may be generated: irritating chemicals; toxic, corrosive chemicals.

Special Protective Equipment and Precautions for Fire-fighters

Evacuate area. Fight fire from a safe distance or a protected location. Approach fire from upwind to avoid hazardous vapours or gases. Do NOT apply water directly to spill. Knock down vapours or gases with water fog or fine water spray.

Before entry, especially into confined areas, use an appropriate monitor to check for: toxic gases or vapours. Dike and recover contaminated water for appropriate disposal. Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills.

Fire-fighters should enter area wearing specialized protective equipment. (Bunker Gear will not provide adequate protection.)

A full-body encapsulating chemical protective suit with positive pressure SCBA may be necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel. Evacuate downwind locations. Do not touch damaged containers or spilled product unless wearing appropriate protective equipment. Use the personal protective equipment recommended in Section 8 of this safety data sheet. Increase ventilation to area or move leaking container to a well-ventilated and secure area. Remove or isolate incompatible materials as well as other hazardous materials. Before entry, especially into confined areas, check atmosphere with an appropriate monitor.

Environmental Precautions

Do not allow into any sewer, on the ground or into any waterway. If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas. Minimize the use of water to prevent environmental contamination.

Methods and Materials for Containment and Cleaning Up

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up.

Small spills or leaks: stop or reduce leak if safe to do so. Contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal. Contaminated absorbent poses the same hazard as the spilled product.

Dike spilled product to prevent runoff. Knock down vapour with fog or fine water spray. Do not direct water at spill or source. Remove or recover liquid using pumps or vacuum equipment. Flush spill area. Dike and recover contaminated water for appropriate disposal. Get expert advice before treating the spilled product with other chemicals to make it less hazardous.

Store recovered product in suitable containers that are: tightly-covered, corrosion-resistant. Review Section 13 (Disposal Considerations) of this safety data sheet. Contact emergency services and manufacturer/supplier for advice.

Other Information

Report spills to local health, safety and environmental authorities, as required.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Obtain special instructions before use. Do not breathe in this product. Do not get in eyes, on skin or on clothing. Only use where there is adequate ventilation. Avoid generating vapours or mists. Prevent uncontrolled release of product. Avoid release to the environment. Immediately report leaks, spills or failures of the safety equipment (e.g. ventilation system). In the event of a spill or leak, exit the area immediately. Avoid heating that will increase the amount of vapours. If product is transferred to another container, ensure new container is suitable for the product. Prevent accidental

Product Identifier: WM 8690C - Ver. 2

SDS No.: 01340186

Date of Preparation: May 29, 2017

Date of Last Revision: August 23, 2019

Page 03 of 07

contact with incompatible chemicals. Wear personal protective equipment to avoid direct contact with this chemical. Prevent contamination of surfaces that unprotected personnel may use. Use corrosion-resistant tools and equipment. See Section 10 (Stability and Reactivity) for suitable materials. Keep containers tightly closed when not in use or empty. Never reuse empty containers, even if they appear to be clean.

General hygiene considerations: it is good practice to: avoid breathing product; avoid skin and eye contact and wash hands after handling. Immediately remove any clothing which becomes wet or heavily contaminated. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely. Do not take contaminated clothing home. See Section 13 (Disposal Considerations) of this safety data sheet.

Conditions for Safe Storage

Store in an area that is: ventilated, secure and separate from work areas, separate from incompatible materials (see Section 10: Stability and Reactivity). Restrict access to authorized personnel only.

Store in the original, labelled, shipping container. Protect from conditions listed in Conditions to Avoid in Section 10 (Stability and Reactivity). Empty containers may contain hazardous residue. Store separately. Keep closed. Follow all precautions given on this safety data sheet. Comply with all applicable health and safety regulations, fire and building codes.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Not available.

Consult local authorities for provincial or state exposure limits.

Appropriate Engineering Controls

General ventilation is usually adequate.

For large scale use of this product: use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Provide eyewash and safety shower if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

In case of an emergency (e.g. an uncontrolled release): wear a chemical splash suit and respiratory protection.

Neoprene rubber.

Respiratory Protection

Not usually required when working with small quantities.

For non-routine or emergency situations: wear a NIOSH approved air-purifying respirator with N100, R100, or P100 filter(s).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Clear yellow liquid.
Odour	Sweet
Odour Threshold	Not available
pH	11.5 - 13.0
Melting Point/Freezing Point	Not applicable (melting); 0 °C (freezing)
Initial Boiling Point/Range	100 °C
Flash Point	Not available
Evaporation Rate	Not available
Flammability (solid, gas)	Not applicable (liquid).
Upper/Lower Flammability or Explosive Limit	Not available (upper); Not available (lower)
Vapour Pressure	18 mm Hg

Product Identifier: WM 8690C - Ver. 2

SDS No.: 01340186

Date of Preparation: May 29, 2017

Date of Last Revision: August 23, 2019

Page 04 of 07

Vapour Density (air = 1)	Not available
Relative Density (water = 1)	1.01 - 1.04
Solubility	Soluble in water; Not available (in other liquids)
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity	Not available (kinematic); Not available (dynamic)
Other Information	
Physical State	Liquid

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use.

Chemical Stability

Normally stable. Unstable under certain conditions - see Conditions to Avoid.

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

Prolonged exposure to high temperatures. Freezing. Incompatible materials.

Incompatible Materials

Strong acids (e.g. hydrochloric acid), strong bases (e.g. sodium hydroxide), strong oxidizing agents (e.g. perchloric acid).

Hazardous Decomposition Products

None known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information presented below is for the entire product, unless otherwise specified.

Likely Routes of Exposure

Eye contact; ingestion; skin contact.

Acute Toxicity

LC50: No information was located.

LD50 (oral): No information was located.

LD50 (dermal): No information was located.

Skin Corrosion/Irritation

Human experience and animal tests show moderate or severe irritation.

Serious Eye Damage/Irritation

Human experience and animal tests show serious eye damage.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May cause nose and throat irritation.

Skin Absorption

No information was located.

Ingestion

May cause irritation of the mouth, throat and stomach.

Aspiration Hazard

Product Identifier: WM 8690C - Ver. 2

SDS No.: 01340186

Date of Preparation: May 29, 2017

Date of Last Revision: August 23, 2019

Page 05 of 07

No information was located.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

No information was located.

Respiratory and/or Skin Sensitization

No information was located.

Carcinogenicity

No information was located.

No information was located for: Aspiration Hazard, Respiratory and/or Skin Sensitization, Development of Offspring, Sexual Function and Fertility, Effects on or via Lactation, Germ Cell Mutagenicity, Interactive Effects

SECTION 12. ECOLOGICAL INFORMATION

This section is not required by WHMIS.

Ecotoxicity

Harmful to aquatic life.

Persistence and Degradability

No information was located.

Bioaccumulative Potential

No information was located.

Mobility in Soil

No information was located.

Other Adverse Effects

There is no information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Recommended disposal methods are for the product, as sold. (Used material may contain other hazardous contaminants). Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	3267	CORROSIVE LIQUID, BASIC, ORGANIC (Sodium Triazole Blend)	8	III
US DOT	3267	CORROSIVE LIQUID, BASIC, ORGANIC (Sodium Triazole Blend)	8	III

Environmental Hazards Not applicable

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

This section is not required by WHMIS.

Canada

Product Identifier: WM 8690C - Ver. 2

SDS No.: 01340186

Date of Preparation: May 29, 2017

Date of Last Revision: August 23, 2019

Page 06 of 07

WHMIS 1988 Classification



Class D2B



Class E

D2B - Toxic; E - Corrosive

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL or are not required to be listed.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.

SECTION 16. OTHER INFORMATION

Date of Preparation May 29, 2017

Date of Last Revision August 23, 2019

Key to Abbreviations NIOSH = National Institute for Occupational Safety and Health
OSHA = US Occupational Safety and Health Administration
IARC = International Agency for Research on Cancer
ACGIH® = American Conference of Governmental Industrial Hygienists
NDA = No Data Available.

Disclaimer The information contained in this form is based on data from sources considered technically reliable and has been provided in good faith in accordance with the available material. It is provided as a service to the persons using the product but conditions of use and handling may involve other and additional consideration beyond our control. No warranty, expressed or implied, is made and we will not be liable for any damages, losses, injuries or consequential damages which may result from the use or reliance on any information in this form.

Product Identifier: WM 8690C - Ver. 2

SDS No.: 01340186

Date of Preparation: May 29, 2017

Date of Last Revision: August 23, 2019

Page 07 of 07